

Specification  
For a Pipe Organ for

Private Residence  
San Francisco, California

October 8, 2007

Kegg Pipe Organ Builders

---

---

**GREAT**

Principal	8'	1
Rohrflute	8'	2
Viola	8'	3
Viola Celeste TC	8'	4
Octave	4'	5
Flute	4'	2
Piccolo	2'	2
Mixture	III	5&6
Flugelhorn	8'	7
MIDI Ch. 1		
MIDI Ch. 2		

Swell to Great 8

**SWELL**

Rohrflute	8'	2
Viola	8'	3
Viola Celeste TC	8'	4
Principal	4'	5
Flute	4'	2
Nazard TC	2 <sup>2</sup> / <sub>3</sub> '	6
Octave	2'	5
Quinte	1 <sup>1</sup> / <sub>3</sub> '	6
Bassoon	16'	7
Flugelhorn	8'	7
Hautbois	4'	7
Tremulant		
MIDI Ch. 3		

Swell to Swell 16

Swell to Swell 4

**PEDAL**

Bourdon	16'	2
Principal	8'	1
Flute	8'	2
Viola	8'	3
Octave	4'	1
Bassoon	16'	7
Flugelhorn	8'	7
Hautbois	4'	7
MIDI Ch. 4		

Great to Pedal 8  
 Swell to Pedal 8  
 Swell to Pedal 4

**TONAL RESOURCES**

1.	Principal 8' GG, 1-7 stopped wood	61 pipes
2.	Rohrflute 16'	97 pipes
3.	Viola 8' GG, 1-7 from #2, 50-61 from #5	42 pipes
4.	Viola Celeste TC	37 pipes
5.	Octave 4'	73 pipes
6.	Quinte 1 $\frac{1}{3}$ '	49 pipes
7.	Flugelhorn 16'	85 pipes

7 ranks  
 442 pipes

**ADJUSTABLE COMBINATIONS**

127 memories  
 Unlimited by archive

Great	1 2 3 4 5	Thumb
Swell	1 2 3 4 5	Thumb
Pedal	1 2 3	Toe
General	1 2 3 4 5 6 7 8	Thumb & Toe
General Cancel		Thumb
Set		Thumb
Range		Thumb
Undo		Thumb
Clear		Thumb
Copy		Thumb

**REVERSIBLES**

Great to Pedal	Thumb & Toe
Full Organ	Thumb & Toe

## ACCESSORIES

Expression Pedal  
Concave and radiating pedal clavier  
Adjustable Bench  
Full Organ indicator light  
Crescendo Pedal with numeric indicator  
Integral console casters  
Performance recording sequencer

---

---

The console shall be of drawknob design, all-electric and detached from the organ, and shall be movable.

The stops and couplers shall be controlled by pakkawood drawknobs placed in terraces at the sides of the keyboards. The console shall be connected to the organ case by a small cable, and shall be provided with enough cable to allow placement where required.

The organ case, console case, bench, and pedal board, shall be of white oak, finished to match surrounding woodwork. The interior of the console such as the stop terraces, key cheeks, etc., shall be of walnut.

Manual keys shall be wood, laminated to prevent warping. Manual natural keys shall be covered in polished bone, and manual sharp keys shall be rosewood. Pedal sharp keys shall be rosewood, and pedal natural keys shall be maple.

The music rack shall be of walnut and white oak. There shall be a light for the music rack. There shall be a light for the pedal board.

A free-standing organ case with formal façade shall be provided. Design of this case shall be approved by the Purchaser prior to construction. The blower shall be contained within the organ case.

The entire organ shall be under one expression with the exception of the 8' Great Principal which shall be in façade, and the basses of the Bourdon 16'.

This proposal includes all shipping, installation and finishing costs with the exception of proper AC service to the organ area, any building changes that may be required, and any taxes, permits or fees required by any federal, state or local governments.

The completed instrument shall be warranted for a period of 10 years including all parts and labor, not including normal tuning.

---

---



1184 Woodland St. SW, Hartsville, Ohio, 446832  
(330) 966-2499

---

---